AUTHORS INDEX*

A

ABERLE, S. B. D., MORSE, ARTHUR H., THOMPSON, WILLIAM R., AND PITNEY, E. H., The relation of the weight of the placenta, cord, and membranes to the weight of the infant in normal full-term and in premature deliveries, 397

ACKEN, HENRY S., Jr., A case of ruptured corpus luteum cyst with intraabdominal hemorrhage, 860

ACOSTA-SISON, HONORIA, Vesicoabdominal fistula as a complication of labor, 239

ADAIR, FRED L., Fetal malformations in multiple pregnancy, 539

ADLER, NATHAN H., (WITH KWARTIN, BORIS), Placenta increta, 703

ALEXANDER-KATZ, R., Forensic significance of tentorial tears of newborn infants, 885 (abst.)

ALLEN, EDGAR, AND BAKER, DAN D., Menstrual periods induced in ovariectomized monkeys by estrus-producing ovarian hormone, 85

ALWARD, H. C., Observations on the vital capacity during the last month of pregnancy and the puerperium, 373

ANDERSEN, O. N., (WITH HARPER, CARL S.), Congenital defects of the diaphragm with relation to asphyxia neonatorum, 324

ANSPACH, BROOKE M., The early diagnosis of adnexal cancer, 571, 728

ARNOLD, J. O., Abdominal pregnancy two months past term, 119

ARZT, FRANZ, Further observations on the gastric juice in pregnancy, 382

AUER, EUGENE S., (WITH LIESE, GROVER), The biologic diagnosis of early pregnancy by the Aschheim-Zondek test, 667

AULD, IRVING, (WITH GILL, JOHN JOSEPH), Report of a case of Fetal Generalized Edema, 834

AVERETT, LEONARD, Advantages of Kerr cervical cesarean section, 273

B

BACHMAN, CARL, (WITH PIPER, EDMUND B.), Corporeal and cervical cesarean section, 440 (abst.)

BADER, C. W., (WITH EUFINGER, H.), Liver function in pregnancy. I. The storage of dyes in pregnancy, 143 (abst.)

BAILEY, K. V., An inquiry into the basic cause and nature of cervical cancer, 284 (abst.)

BAKER, DAN D., (WITH ALLEN, EDGAR), Menstrual periods induced in ovariectomized monkeys by estrus-producing ovarian hormone, 85

BALTZER, H., Adenomyoma of the uterus, 331 (abst.)

BÁRCZI, Treatment of the edemas of pregnancy, and the prevention of eclampsia with thyroid extract, 150 (abst.)

BAUER, A. W., The influence of acid diet and alkali diet on the self-cleansing of the vagina, 319 (abst.)

BECKERS, Diagnosis, pathology and frequency of extrauterine pregnancy, 741 (abst.)

BECKMANN, M., Hyperplasia and hypertrophy of the uterine mucosa, 698 (abst.)

BEHNEY, CHARLES A., Acute sigmoid diverticulitis, 121

—, (WITH NORRIS, CHARLES C.), Ovarian transplantation, 354 (abst.)

BEHREND, MOSES, Report of a case of fibromyoma of the uterus weighing 133 pounds removed at operation, 699

BISSELL, DOUGAL, Paralysis of the bladder with distention and hemorrhage immediately following catheterization, 811

—, Report of two cases of ureteral calculus in the female, 828

BLAND, P. BROOKE, FIRST, ARTHUR, AND GOLDSTEIN, LEOPOLD, The blood-platelets in pregnancy and in the puerperium, 165

BLIND, AUGUSTE, Mucous polyps and uterine cancer, 284 (abst.)

BOLEY, HENRY B., Purpura hemorrhagica complicating puerperium, 252

BOULWARE, T. M., An unusual acardiacus, 708

BOYD, GEORGE M., Extrauterine pregnancy at full term, 268

BRANSCOMB, LOUISE, The occurrence of cancer in the uterine cervical stump after supravaginal hysterectomy, 66

BROWN, T. K., The incidence of puerperal infection due to anaerobic streptococci, 300

*July, pp. 1-152; August, pp. 153-292; September, pp. 293-440; October, pp. 441-594; November, pp. 595-748; December, pp. 749-890.

C

CATHERWOOD, A. E., (WITH MACK, HAROLD C.), The Aschheim-Zondek reaction in hydatidiform mole and malignant chorionepithelioma, 670

CLASON, S., The results of eclampsia and eclampsismus in the Karolinian Institute in Stockholm for 1920-1927, 151 (abst.)

COCHRAN, GEORGE G., JR., Leucoplakic vulvitis and cancer of the vulva, 862

COHEN-SOLAL, (WITH LEVY-SOLAL AND DALSACE), Vomiting of pregnancy. Desensitization therapeusis, 148 (abst.)

CONDAMIN, R., Cancer of the cervix in a pregnant uterus, 284 (abst.)

CORBIN, HAZEL, (WITH DUBLIN, LOUIS I.), A preliminary report of a study of records of the Maternity Center Association of New York, 877

CORLETTE, C. E., Dangerous hemorrhage from corpus luteum in an apparently normal ovary, 744 (abst.)

CORNELL, EDWARD L., Neonatal membranous obstruction of the duodenum, 865

D

D'ACIERNO, P., An analysis of 50 cases of toxemia of pregnancy, 797

DAFOE, W. A., Papilloma of the endometrium, 103

—, The results of an investigation and the treatment of streptococcal puerperal sepsis at the Toronto General Hospital, 174

DAICHMAN, ISIDORE, (WITH RONSHEIM, JOSHUA), Maternal mortality in the Jewish Hospital of Brooklyn, 816, 864

DALSACE, (WITH LEVY-SOLAL AND COHEN-SOLAL), Vomiting of pregnancy. Desensitization therapeusis, 148 (abst.)

DANFORTH, W. C., AND GRIER, R. M., An analysis of 124 cases of low cervical cesarean sections, 405, 425

DAVIS, CARL HENRY, AND STEVENS, G. W., Value of routine radiographic examinations of the newborn, based on a study of 702 consecutive babies, 73, 130

DE UDAETA Y BERNAREGGI, A., Phototherapy in gynecology, 251 (abst.)

DE VEL, Traumatic necrosis of the subcutaneous fat of the newborn infant, 781 (abst.)

DITTEL, L., Psychotherapy in gynecology, 606 (abst.)

DOUGLASS, MARION, (WITH MORITZ, ALAN R.), A study of uterine and tubal decidual reaction in tubal pregnancy, 743 (abst.)

DUBLIN, LOUIS I., AND CORBIN, HAZEL, A preliminary report of a study of records of the Maternity Center Association of New York, 877

DUNCAN, JAMES W., The "radical" in obstetrics, 225

E

EADES, M. F., Retinal hemorrhages in the newborn, 887 (abst.)

EASTMAN, N. J., (WITH STANDER, H. J.), The hydrogen-ion concentration of the blood in eclampsia, 822

ENZER, NORBERT, Endometrioma of the umbilicus, 129

EUFINGER, H., Viscero-sensory liver bile reflexes in pregnancy, 143 (abst.)

—, AND BADER, C. W., Liver function in pregnancy. I. The storage of dyes in pregnancy, 143 (abst.)

F

FAEHRMANN, Creation of an artificial vagina out of the sigmoid flexure, 214 (abst.)

FALLS, FREDERICK H., Observations on the use of local anesthesia in gynecologic operations, 310, 427

—, Toxemias in pregnancy, 148 (abst.)

FEINER, DAVID, AND KALDOR, JOSEPH, Axial rotation of the pregnant uterus, 88

FIRST, ARTHUR, (WITH BLAND, P. BROOKE, AND GOLDSTEIN, LEOPOLD), The blood-platelets in pregnancy and in the puerperium, 165

—, (AND GOLDSTEIN, LEOPOLD), Anemia in pregnancy, 70, 123

FISCHER, W., Gangrene of the forearm in the newborn, 833 (abst.)

FLUHMANN, C. F., The significance of anterior pituitary hormone in the blood of gynecologic patients, 1

FOGELSON, S. J., Changes in the generative tract of female white mice caused by injection of an aqueous placental female sex hormone, 869

FRANK, ROBERT T., A review of the progress in endocrinology of interest to the gynecologist and obstetrician, 215, 265

—, Hemangioma of the pelvic connective tissue, 81

FROLOV, Full-term extrauterine pregnancy with living child, 747 (abst.)

FRUHINSHOLZ, A., Operative indications in the presence of luteum cysts associated with hydatid mole, 319 (abst.)

FUETH, R., A case of eclampsia in early pregnancy, 151 (abst.)
FURNISS, H. DAWSON, Trichomonas vaginalis, 93, 113

G

GARFUNKEL, P., Extrauterine pregnancy in the gynecological clinic of the State Hospital in Rostow, 741 (abst.)
GAUSMAN, The uniting of two graafian follicles, 214 (abst.)
GAUSS, The approaching decline of cesarean section, 439 (abst.)
GEIST, SAMUEL H., The variability of menstrual rhythm and character, 320
GELLHORN, GEORGE, Vaginal hysterectomy under local anesthesia (discussion only), 842
GILL, JOHN JOSEPH, (WITH AULD, IRVING), Complete inversion and prolapse of the uterus. Adherent placenta attached. Shock reposition, recovery, 424
—, Report of a case of fetal generalized edema, 834
GOLDSTEIN, LEOPOLD, (WITH BLAND, P. BROOKE, AND FIRST, ARTHUR), The blood-platelets in pregnancy and the puerperium, 165
—, (WITH FIRST, ARTHUR), Anemia in pregnancy, 70, 123
GOLDZIEHER AND GREENWALD, Hemorrhage of suprarenals in the newborn infant, 888 (abst.)
GRAGERT, O., Hypernephroma metastases in the vagina, 657 (abst.)
GRAVES, Relationship of imperfect drainage to genital cancer in the female, 284 (abst.)
GRAVES, WILLIAM P., Some observations on the etiology of dysfunctional uterine bleeding, 500, 846
GREEN, ARMYTAGE V. B., A case of torsion of a fallopian tube and ovary during pregnancy, 182 (abst.)
GREEN, JOHN S., Observations on the chemistry of blood and urine in toxemias of pregnancy, 142 (abst.)
GREENWALD, (WITH GOLDZIEHER), Hemorrhage of suprarenals in the newborn infant, 888 (abst.)
GRIER, R. M., (WITH DANFORTH, W. C.), An analysis of 124 cases of low cervical cesarean sections, 405, 425
GROGAN, ROY L., Cesarean section and subsequent labor, 101
GUTHMAN, H., AND HESS, L., Antitryptic index in carcinoma, 282 (abst.)

H

HAMANT, A., Facial paralysis in a newborn following spontaneous delivery, 781 (abst.)
HANSON, SAMUEL, The use of a tourniquet for the control of the absorption of solution of pituitary in the induction of labor, 256
HARPER, CARL S., AND ANDERSEN, O. N., Congenital defects of the diaphragm with relation to asphyxia neonatorum, 324
HARRIS, BRUCE ALEXANDER, Tuberculosis of the cervix, 249, 275
HASSELBLATT, R., Repeated pregnancy in the same tube, 745 (abst.)
HENNING, M. P., Remarks on congenital and acquired deafmutism, 825 (abst.)
HERRMAN, E., Rupture of ovarian tumors, 323 (abst.)
HESS, L., (WITH GUTHMAN, H.), Antitryptic index in carcinoma, 282 (abst.)
HESSELTINE, H. C., Splenomegaly with hepatic cirrhosis (Banti's syndrome) as a complication of pregnancy, with the report of a case, 77
HINTON, J. WILLIAM, Hyperthyroidism associated with pregnancy, 183
HOFFMAN, F. L., Cancer in Hawaii, 280 (abst.)
HOFFMANN, A., The vegetative nervous system during pregnancy, its functional disturbances in the female sexual sphere, 144 (abst.)
HOLLADAY, EDWIN W., Repair of an intractable vesicovaginal fistula, 262
HOLMES, RUDOLPH W., Ablatio placenta, 868
HOLTERMANN, Pathology of overterm pregnancy. An early symptom of impending intrauterine death, 884 (abst.)
HORWITZ, ALEC, Incidence of carcinoma of the uterus among Jewish women, 280 (abst.)
HYMAN, ALBERT S., Irregularities of the fetal heart. A phonocardiographic study of the fetal heart sounds from the fifth to eighth months of pregnancy, 332

I

IRVING, FREDERICK C., The method of identifying newborn infants at the Boston Lying-In Hospital, 105
IWATA, M., The morphology of the human fallopian tube, 742 (abst.)

J

JAHIER, (WITH LAFFONT), One hundred and forty-three cases of eclampsia observed at the Algerian Maternity, 152 (abst.)

JANKELEWITSCH, Cleidotomy on the living fetus, 759 (abst.)

JEANNENEY, G., Cancer of the cervical stump after subtotal hysterectomy, 285 (abst.)

JOACHIMOVITS, R., Dysmenorrhea, 381 (abst.)

JOHNSON, (WITH JOHNSTON AND NICHOLAS), Focal infection in eclampsia and further study of tyramine as the etiological factor of the toxemia, 146 (abst.)

JOHNSTON, JOHNSON, AND NICHOLAS, Focal infection in eclampsia and further study of tyramine as the etiological factor of the toxemia, 146 (abst.)

JORDAN, H. E., AND MEADE, R. H., A case of twin tubal pregnancy, 745 (abst.)

K

KAHN, ISADOR W., AND WALKER, ROBERT B., The importance of urologic investigations in gynecologic patients, 683

KALDOR, JOSEPH, (WITH FEINER, DAVID), Axial rotation of the pregnant uterus, 88

KANE, HOWARD, AND KREISELMAN, JOSEPH, The carbon dioxide content of the blood in the newborn, 826

KANKI, Y., Statistics of uterine cancer, 280 (abst.)

KANTER, A. E., AND KLAWANS, A. H., Postpartum atresia of the vagina, with report of a case of hematocolpos, hematometra, and hematosalpinx, 95

KATZ, H., Resuscitation of the newborn, 886 (abst.)

KEENE, F. E., AND KIMBROUGH, R. A., JR., Fibromyoma uteri, treatment and end-results, 198, 265

KEEVILL, A. J., Full-time abdominal pregnancy, prolonged suppuration; recovery, 746 (abst.)

KELLOGG, FOSTER S., Observations on a short series of placenta previa patients delivered by abdominal cesarean section at the Boston Lying-In Hospital, 643

KENNEDY, J. W., The surgical pathology of the fibrinoplastic or adhesive variety of tuberculous peritonitis, 236

KENNEDY, WILLIAM T., Reconstruction of the cervical ligaments following complete hysterectomy, 51, 115

KERMAUNER, F., Genital bleeding in young girls, 642 (abst.)

—, Treatment of carcinoma of the uterus by abdominal operation, 288 (abst.)

KIMBROUGH, R. A., JR., (WITH KEENE, F. E.), Fibromyoma uteri, treatment and end-results, 198, 265

KING, E. L., Glucose and insulin in the treatment of vomiting of pregnancy, 147 (abst.)

KING, G., The value of the levulose tolerance test for hepatic efficiency in the diagnosis of pregnancy toxemia, 142 (abst.)

KLAWANS, A. H., (WITH KANTER, A. E.), Postpartum atresia of the vagina, with a report of a case of hematocolpos, hematometra, and hematosalpinx, 95

KLEIN, S. M., The value of the amidopyridine test for the detection of internal hemorrhage in the diagnosis of ruptured tubal pregnancy, 742 (abst.)

KLEIN, W. O., Ten years of eclampsia and its treatment, 150 (abst.)

KLOMAN, ERASMUS H., Tuberculous kidney with pyelitis, stricture and pyonephrosis of the opposite kidney, 872

KOBES, RUDOLF, The transmission of "pernocton" to the newborn, 887 (abst.)

KOFF, A. K., (WITH NOVAK, EMIL), Chorioepithelioma, with especial reference to disappearance of the primary uterine tumor, 153

—, (WITH NOVAK, EMIL), The ovarian and pituitary changes associated with hydatidiform mole and chorioepithelioma, 481, 713

KOLISCHER, GUSTAVE, Cystitis and pyelitis in the female, 872

KREISELMAN, JOSEPH, (WITH KANE, HOWARD F.), The carbon dioxide content of the blood in the newborn, 826

KWARTIN, BORIS, AND ADLER, NATHAN H., Placenta increta, 703

L

LAFFONT AND JAHIER, One hundred and forty-three cases of eclampsia observed at the Algerian Maternity, 152 (abst.)

—, AND LARRIBÉRE, J., The treatment of eclampsia by somnifène. Cure and continuation of pregnancy, 151 (abst.)

LAHM, The glycogen content of uterine cancer, 282 (abst.)

LANGAN, PAUL C., Fatal bronchial obstruction in the newborn, 255

LARRIBÉRE, J., (WITH LAFFONT, A.), The treatment of eclampsia by somnifène. Cure and continuation of pregnancy, 151 (abst.)

LASH, A. F., Ectopic corpus luteum associated with ruptured tubal pregnancy, 129

—, Spirochetes in puerperal fever, 348

LEE, BURTON J., Significant problems for the obstetrician in the field of mammary cancer, 775, 855
LEE, Y. C., The first menses of Korean girl students, 173 (abst.)
LEFF, MORRIS, A stethoscope for auscultating the fetal heart, 108
LÉO, Biopsy in cancer of the fundus, 283 (abst.)
LEVEN, G., Radical cure of pernicious vomiting of pregnancy in all stages of pregnancy, 148 (abst.)
LEVY-SOLAL, DALSACE, AND COHEN-SOLAL, Vomiting of pregnancy. Desensitization therapeusis, 148 (abst.)
LIEPMANN, W., Ectopic pregnancy after a supravaginal amputation of the uterus, 746 (abst.)
LIESE, GROVER, AND AUER, EUGENE S., The biologic diagnosis of early pregnancy by the Aschheim-Zondek test, 667
LITTAUER, E. V., Hydatidiform mole with a viable fetus, 126
LITTLE, H. M., The treatment of salpingitis by local injection of turpentine, 582, 727
LOSEE, JOSEPH R., AND MACHT, DAVID L., A phytopharmacological study of eclampsia, 146 (abst.)
LOVEGREN, Carcinoma of the vagina in second year of life, 285 (abst.)
LULL, CLIFFORD B., An unusual fetal monstrosity, with interesting problem in delivery, 421
LUNDQUIST, B., Intrathoracic and intra-abdominal hemorrhages in the newborn, 887 (abst.)

Mc

MCBRIDE, REXFORD W., Case reports. 1. Double uterus, double cervix, and double vagina. 2. Absence of the vagina, 710
MCCORMICK, C. O., A new rectal ether analgesia apparatus, 411
MCGLINN, JOHN A., Music in the operating room, 678, 727
MCGOOGAN, LEON S., Contracted pelves and disproportion, a report of four hundred and seventy-one cases, 386, 431
MCLANE, CHARLES M., Delivery through the natural passages following cesarean section, 650
MCSWINEY, B. A., Is Quinine induction of labor absolutely harmless? 208 (abst.)

M

MACHT, DAVID I., (WITH LOSEE, JOSEPH R.), A phytopharmacological study of eclampsia, 146 (abst.)
MACK, HAROLD C., AND CATHERWOOD, A. E., The Aschheim-Zondek reaction in hydatidiform mole and malignant chorionephithelioma, 670
MADDEN, JOHN J., Two cases of post-operative parotitis, 860
MANDL, FELIX, Prophylaxis against recurrence following operations for malignant tumors, 289 (abst.)
MATTHEWS, HARVEY BURLESON, The roentgen ray as an adjunct in obstetric diagnosis, 612, 724
MAYER, MAX D., A director for the vaginal occlusive pessary, 258
MEADE, R. H., (WITH JORDAN, H. E.), A case of twin tubal pregnancy, 745 (abst.)
MEAKER, SAMUEL R., A survey of causative factors in sterility, 749
MEIGS, J. V., Adenocarcinoma of the fundus of the uterus, 290 (abst.)
—, Benign uterine bleeding, Wilfred Shaw's groups, 15
MEYER, JOSEPH L., A study of the effect of acriflavine given intravenously on experimental uterine infection in the dog, 760
MIKULICZ-RADECKI, Therapy of uterine carcinoma, 286 (abst.)
MILLER, Prophylaxis of cancer with special reference to the cervix uteri, 284 (abst.)
MILLS, RALPH G., Cystitis emphysematosa. V. A case in a woman in which trauma appeared to be an etiologic factor, 688
MITCHELL, ROSS, The late toxemias of pregnancy, 148 (abst.)
MOENCH, G. L., AND SCHULMAN, A. A., Preliminary report of the results obtained with electrocoagulation in chronic inflammation of the cervix uteri, 354 (abst.)
MÖLLER, F., Symptomatology and diagnosis of extrauterine pregnancy, 741 (abst.)
MOORE, JOHN H., Anemia in pregnancy, a final report on three hundred observed cases, 254
MOORE, JOSEPH E., Syphilis and the Wassermann reaction in the private practice of obstetrics, 875
MORITZ, ALAN R., AND DOUGLASS, MARION, A study of uterine and tubal decidual reaction in tubal pregnancy, 743 (abst.)
MORSE, ARTHUR H., (WITH ABERLE, S. B. D., THOMPSON, WILLIAM R., AND PITNEY, E. H.), The relation of the weight of the placenta, cord, and membranes to the weight of the infant in normal full-term and in premature deliveries, 397

MUNRO, DONALD, Cranial and intracranial damage in the newborn, 886 (abst.)

N

NAUJOKS, H., The etiology of cephalhematoma, 888 (abst.)
—, The fate of children born with intracranial birth injuries, 885 (abst.)
NEUMAN, H. O., Histologic studies concerning the sympathicotropic cells of the hilus of the ovary, 416 (abst.)
—, AND OING, M., Accessory breasts and accessory nipples, 347 (abst.)
NEVERMANN, H., The fate of the eclamptic patient, 27 (abst.)
NICHOLAS, (WITH JOHNSTON AND JOHNSON), Focal infection in eclampsia and further study of tyramine as the etiological factor of the toxemia, 146 (abst.)
NORRIS, CHARLES, Presidential address American Gynecological Society, Fifty-fifth Annual Meeting, May 19, 1930, 293
—, AND BEHNEY, CHARLES A., Ovarian transplantation, 354 (abst.)
NOVAK, EMIL, The recognition of early cervical cancer, 282 (abst.)
—, AND KOFF, A. K., Chorioepithelioma, with especial reference to disappearance of the primary uterine tumor, 153
—, AND —, The ovarian and pituitary changes associated with hydatidiform mole and chorioepithelioma, 481, 713

O

OING, M., (WITH NEUMAN, H. O.), Accessory breasts and accessory nipples, 347 (abst.)
OKI, TSUNEMSTSU, On the relation of glycogen and carcinoma of cervix of uterus, 281 (abst.)
OSBORN, GEORGE R., A case of abdominal pregnancy, with the diagnosis confirmed by uterogram, 98

P

PADDOCK, R., Intracranial injury due to labor, 882 (abst.)
PAL, J., The cachexia of malignancy and its control, 289 (abst.)
PARKER, E. C., Ectopic pregnancy, 746 (abst.)
PECKHAM, C. H., Chronic nephritis following eclampsia, 152 (abst.)
PEHAM, M., Results with the more extended operative methods in uterine malignancy, 288 (abst.)
PERY, On the employment of insulin in hyperemesis gravidarum, 147 (abst.)
PETTIT, R. T., Intravenous lead in treatment of cancer, 286 (abst.)
PIPER, EDMUND B., AND BACHMAN, CARL, Corporeal and cervical cesarean section, 440 (abst.)
PITNEY, E. H., (WITH ABERLE, S. B. D., MORSE, ARTHUR H., AND THOMPSON, WILLIAM R.), The relation of the weight of the placenta, cord and membranes to the weight of the infant in normal full-term and in premature deliveries, 397
PITTS, HERMAN C., AND WATERMAN, GEORGE W., Report of results of radium treatment of carcinoma of cervix, 607
PLASS, E. D., Trichomonas, 130
POLAK, JOHN O., Postoperative obstetric embolus, 850
—, Toxemia of pregnancy, 146 (abst.)
—, AND MAZZOLA, VINCENT, Postoperative obstetric embolus—its incidence, cause and prevention, 529
PONOMAREFF, A., Cesarean section in Russia, 439 (abst.)
POTTER, D. G. E., Note on the apparent absence of pressor substances in eclamptic serum, 145 (abst.)

Q

QUIN, J. S., Acute inversion of the uterus, 666 (abst.)

R

REED, CHARLES B., Avertin anesthesia in obstetrics, 865
RICKMAN, J., On the etiology of prolapse of the uterus, 164 (abst.)
RIHL, J., AND WEINZIERL, E., Fetal cardiac arrhythmia, 883 (abst.)
RIES, EMIL, Diagnostic lipiodol injection into milk-ducts followed by abscess formation, 414
ROBERTS, M. H., Intracranial hemorrhage in the newborn infant as demonstrated by the roentgen rays, 883 (abst.)
ROBINSON, M. R., Primary and secondary ovarian cancer, a histogenetic, morphologic and clinical study, 875
RONSHEIM, JOSHUA, AND DAICHMAN, ISIDORE, Maternal mortality in the Jewish Hospital of Brooklyn, 816, 864
ROSENBERG, M., Primary broad ligament fibromyoma with sarcomatous degeneration, 124
ROTH, H., Abdominal hemorrhage of ovarian origin, 743 (abst.)
RUBIN, I. C., The question of possible endometrial trauma and dislocation associating uterotubal insufflation, 519, 848
—, Tubal structures and their localization by means of uterotubal insufflation and the kymograph, 28, 127

RUCKER, M. PIERCE, The action of thymophysin on the human pregnant uterus in situ, 791

RUSHMORE, STEPHEN, Eclampsia—a preliminary note as to the cause, 145 (abst.)

RUSSELL, THOMAS, Spontaneous rupture of the intestine in the newborn, 888 (abst.)

RYDBERG, E., The prognosis of children who survive intracranial hemorrhages at birth, 885 (abst.)

S

SACHS, E., Insulin in treatment of vomiting of pregnancy, 147 (abst.)

SALMOND, MARGARET, The use of glycerin in cesarean section, 416 (abst.)

SAMPSON, JOHN A., Postsalpingectomy endometriosis (endosalpingosis), 443, 722

SCHIFFMAN, J., Causes and treatment of postclimacteric bleeding, 281 (abst.)

SCHLACK, Diagnostic value of hemorrhagic spinal fluid, 883 (abst.)

SCHLEYER, E., The results of the operative treatment of carcinoma of the ovary, 288 (abst.)

SCHMIDT, H. R., The operative treatment of operable carcinoma of the uterus and its relation to radiation therapy, 289 (abst.)

SCHOCKAERT, A case of bilateral tubal pregnancy, 745 (abst.)

SCHOENECK, H. W., AND SCHOENECK, F. J., The use of thymophysin—a report of 35 cases, 658

SCHPOLIJANSKY, G. M., Spasmophilia in pregnancy, 144 (abst.)

SCHULMAN, A. A., (WITH MOENCH, G. L.), Preliminary report of the results obtained with electrocoagulation in chronic inflammation of the cervix uteri, 354 (abst.)

SCHWARZ, G., Blood pressure and eclampsia, 149 (abst.)

SELLHEIM, H., The treatment of tubal pregnancy with retention of the tube, 744 (abst.)

SIMON, L., Spontaneous ovarian hemorrhage with acute abdominal symptoms, 744 (abst.)

SPENCER, HELEN W., Frank test for female sex hormone, a report of a study made at the Woman's Hospital, 220

STACY, LEDA J., Carcinoma of the fundus of uterus, 290 (abst.)

STANDER, H. J., AND EASTMAN, N. J., The hydrogen-ion concentration of the blood in eclampsia, 822

STEIN, IRVING F., Perforation of uterus by a crochet needle, 867

STEVENS, G. W., (WITH DAVIS, CARL HENRY), Value of routine radiographic examinations of the newborn based on a study of 702 consecutive babies, 73, 130

STONE, F. LEE, Instrument for determining tubal patency, 129

STRASSMANN, E., Physiologic hypertension of pregnancy, 149 (abst.)

SÜSSMANN, Two rare cases of rupture of uterine scar following cervical cesarean section, 440 (abst.)

SYM, JESSIE C. B., The ultimate prognosis in cases of eclampsia and albuminuria of pregnancy, 87 (abst.)

SYSAK, N., AND WILFAND, R., Necrosis of the subcutaneous fat in the newborn, 889 (abst.)

T

TELFAIR, J. H., Complete inversion of uterus during labor, 262

TE LINDE, RICHARD W., Granulosal-cell tumors of the ovary and their relation to postmenopausal bleeding, 552, 728

TERRADES, A case of ovarian tumor recurring after 16 years, 235 (abst.)

TERRUHN, Leucoplakia and kraurosis vulvae, 413 (abst.)

THOMPSON, WILLIAM R., (WITH ABERLE, S. B. D., MORSE, ARTHUR H., AND PITNEY, E. H.), The relation of the weight of the placenta, cord and membranes to the weight of the infant in normal full-term and in premature deliveries, 397

THOMS, HERBERT, The determination of fetal maturity in utero, 807

—, Walter Channing and etherization in childbirth, 244

TRACY, STEPHEN E., An interesting observation on what happened in one case after an interposition operation for cure of cystocele, 118

TRUMPER, MAX, Fundamental biochemical factors in pregnancy, 209

TSCHERTOK, R., The increase in the incidence of extrauterine pregnancy and its relationship to its etiology, 747 (abst.)

TUMEN, HENRY J., The association of polycythemia with occlusion of the inferior vena cava, 417, 429

U

URDAN, BENJAMIN, Ectopic pregnancy, a clinical study of 474 cases, 355

V

VAN DE PUTTE, Duodenal alimentation in the uncontrollable vomiting of pregnancy, 148 (abst.)
VAUX, NORRIS W., The method of delivery and end-result of two hundred twelve cases of occiput posterior position, 782, 837
VICTOR-PAUCHET, A danger of biopsy in cancer of the fundus: uterine perforation, 283 (abst.)
VOGT, E., Insulin treatment of the toxemias of pregnancy, 147 (abst.)
VOZZA, F., The alkaline reserve of the blood in normal and abnormal pregnancies, 143 (abst.)

W

WALDSTEIN, EDMUND, Therapy of eclampsia, 151 (abst.)
WALKER, ROBERT B., (WITH KAHN, ISADOR W.), The importance of urologic investigations in gynecologic patients, 683
WALLART, J., Carcinoma of the theca interna of a luteum cyst, 290 (abst.)
WALLER, B., Our experience with chloroform used to combat intrauterine asphyxia, 884 (abst.)
WATERMAN, GEORGE W., (WITH PITTS, HERMAN C.), Report of results of radium treatment of carcinoma of cervix, 607
WEIBEL, W., Twenty-five years' experience with the Wertheim operation, 287 (abst.)
WEINBERGER, R., Association of grippe and menstrual disturbances, 173 (abst.)
WEINZIERL, E., (WITH RIHL, J.), Fetal cardiac arrhythmia, 883 (abst.)
WENDEL, AUGUST, Dysmenorrhea of endocrine origin responding satisfactorily to medical therapeutic measures, 633
WETTERDAL, P., Studies of nonprotein nitrogen, uric acid, and amino acids in the blood of pregnant and recently delivered women suffering from albuminuria, eclampsism and eclampsia, 145 (abst.)
WILFAND, R., (WITH SYSAK, N.), Necrosis of the subcutaneous fat in the newborn, 889 (abst.)
WILLIAMSON, A. C., Pregnancy concomitant with asthma or hay fever, 192
WILLIAMSON, H. C., Placenta accreta with hysterectomy, 110
WILSON, R. K., Ovarian hemorrhage simulating acute appendicitis, 743 (abst.)
WINTER, G., The collected German cesarean section statistics for 1928, 438 (abst.)
WISTEIN, R., The cancer problem, 281 (abst.)
WODON, Concerning calcium during normal and pathologic pregnancy with special reference to eclampsia, 144 (abst.)

Y

YAGI, H., Birth injuries in the newborn. Part III. Autopsy results in intracranial hemorrhage, 882 (abst.)
—, Birth injuries in the newborn. Part IV. Mortality statistics of the newborn children and investigation of the cause of death based upon autopsy, 882 (abst.)
—, Birth injuries in the newborn. Part V. Diagnosis of intracranial hemorrhage in the newborn children by roentgen rays, 882 (abst.)

Z

ZWEIFEL, ERWIN, The present status of the treatment of carcinoma of the cervix uteri, 595, 715

SUBJECT INDEX*

A

Abdominal hemorrhage of ovarian origin, (Roth), 743 (abst.)
pregnancy, diagnosis confirmed by uterogram, (Osborn), 98
full-term, prolonged suppuration, recovery, (Keevill), 746 (abst.)
two months past term, (Arnold), 119
Ablatio placenta, (Holmes), 868
Abscess formation, lipiodol injection into milk-ducts followed by, (Ries), 414
Acardiacus, an unusual, (Boulware), 708
Acid diet and alkali diet on self-cleansing of vagina, influence of, (Bauer), 319 (abst.)
Acriflavine, effect of, on experimental uterine infection in dog, (Meyer), 760
Adenocarcinoma of fundus of uterus, (Meigs), 290 (abst.)
Adenomyoma of uterus, (Baltzer), 331 (abst.)
Adnexal cancer, early diagnosis of, (Anspach), 571, 728
Albuminuria, eclampsism, and eclampsia, women suffering from, non-protein nitrogen, uric acid and amino acids in blood of, (Wetterdal), 145 (abst.)
of pregnancy, (Sym), 87 (abst.)
Alkaline reserve of blood in pregnancy, (Vozza), 143 (abst.)
American Board of Obstetrics and Gynecology, Inc., 740
Gynecological Society, Fifty-fifth Annual Meeting, 713, 837
presidential address, (Norris), 293
Amidopyridine test for detection of internal hemorrhage in diagnosis of ruptured tubal pregnancy, (Klein), 742 (abst.)
Anaerobic streptococci, puerperal infection due to, (Brown), 300
Anemia in pregnancy, (First and Goldstein), 70, 123; (Moore), 254
Anesthesia, avertin, in obstetrics, (Reed), 865
local, in gynecologic operations, (Falls), 310, 427
vaginal hysterectomy under, (Gellhorn), 842
Anterior pituitary hormone in blood of gynecologic patients, (Fluhmann), 1
lobe, normal histology of, (Novak and Koff), 493, 713
Antitryptic index in carcinoma, (Guthman and Hess), 282 (abst.)
Appendicitis, acute, ovarian hemorrhage simulating, (Wilson), 743 (abst.)
Arrhythmia, fetal, cardiac, (Rihl and Weinzierl), 883 (abst.)
Aschheim-Zondek pregnancy test, protection against possible abuse of, 278 (editorial comments)
reaction in hydatidiform mole and malignant chorionepithelioma, (Mack and Catherwood), 670
test, biologic diagnosis of early pregnancy by, (Liese and Auer), 667
Asphyxia, intrauterine, chloroform used to combat, (Waller), 884 (abst.)
neonatorum, congenital defects of diaphragm with relation to, (Harper and Andersen), 324
Asthma or hay fever, pregnancy concomitant with, (Williamson), 192
Atresia of the vagina, postpartum, (Kanter and Klawans), 95
Auscultating fetal heart, stethoscope for, (Leff), 108
Avertin anesthesia in obstetrics, (Reed), 865
Axial rotation of pregnant uterus, (Feiner and Kaldor), 88

B

Baltimore Gynecological and Obstetrical Society, 872
Banti's syndrome as complication of pregnancy, (Hesseltine), 77
Benign uterine bleeding, (Meigs), 15
Biochemical factors in pregnancy, (Trumper), 209, 272
Birth injuries in the newborn, (Yagi), 882, 883 (absts.)
intracranial, fate of children born with, (Naujoks), 885 (abst.)
Bladder, distention and hemorrhage of, following catheterization, (Bissell), 811
of, mistaken for ovarian cyst, (Bissell), 813
paralysis of, (Bissell), 811
Bleeding, benign uterine, (Meigs), 15
dysfunctional uterine, etiology of, (Graves), 500
genital, in young girls, (Kermauner), 642 (abst.)

*July, pp. 1-152; August, pp. 153-292; September, pp. 293-440; October, pp. 441-594; November, pp. 595-748; December, pp. 749-890.

Bleeding—Cont'd
postclimacteric, causes and treatment of, (Schiffman), 281 (abst.)
postmenopausal, granulosal-cell tumors of ovary and their relation, (TeLinde), 532, 728
uterine, benign, (Meigs), 15
Blood, alkaline reserve of, in pregnancy, (Vozza), 143 (abst.)
anterior pituitary hormone in, of gynecologic patients, (Fluhmann), 1
carbon dioxide content of, in newborn, (Kane and Krieselman), 826
chemistry of, in toxemias of pregnancy, (Green), 142 (abst.)
hydrogen-ion concentration of, in eclampsia, (Stander and Eastman), 822
of gynecologic patients, anterior pituitary hormone in, (Fluhmann), 1
of pregnant women, nonprotein nitrogen, uric acid, and amino acids in, (Wetterdal), 145 (abst.)
pressure and eclampsia, (Schwarz), 149 (abst.)
Blood-platelets in pregnancy and puerperium, (Bland, First, and Goldstein), 165
Book reviews, 291, 434, 735
Books received, 889
Boston Lying-In Hospital, placenta previa patients delivered by abdominal cesarean section at, (Kellogg), 643
Breast, cancer of, (Lee), 775, 855
inflammatory carcinoma of, (Lee), 779, 855
Breasts, accessory, and accessory nipples, (Neuman and Oing), 347 (abst.)
Bronchial obstruction in newborn, fatal, (Langan), 255
Brooklyn Gynecological Society, 124, 275, 860

C

Cachexia of malignancy and its control, (Pal), 289 (abst.)
Calcium during pregnancy, with reference to eclampsia, (Wodon), 144 (abst.)
Calculus, ureteral, in the female, (Bissell), 828
Cancer, adnexal, early diagnosis of (Anspach), 571, 728
cervical, basic cause and nature of, (Bailey), 284 (abst.)
recognition of early (Novak), 282 (abst.)
genital, in female, relationship of imperfect drainage to, (Graves), 284 (abst.)
in Hawaii, (Hoffman), 280 (abst.)
intravenous lead in treatment of, (Pettit), 286 (abst.)
Cancer—Cont'd
mammary, (Lee), 775, 855
of breast, (Lee), 775, 855
of cervical stump after subtotal hysterectomy, (Jeanneney), 285 (abst.)
of cervix in pregnant uterus, (Condamin), 284 (abst.)
of fundus, biopsy in, (Léo), 283 (abst.)
danger of biopsy in, (Victor-Pauchet), 283 (abst.)
of uterine cervical stump after supravaginal hysterectomy, (Branscomb), 66
of vulva, (Cochran), 862
problem, the, (Wistein), 281 (abst.)
prophylaxis, with special reference to the cervix uteri, (Miller), 284 (abst.)
uterine, glycogen content of, (Lahm), 282 (abst.)
mucous polyps and, (Blind), 284 (abst.)
statistics of, (Kanki), 280 (abst.)
Carbon dioxide content of blood in newborn, (Kane and Kreiselman), 826
Carcinoma, 280 (selected abstracts)
antitryptic index in, (Guthman and Hess), 282 (abst.)
of breast, inflammatory, (Lee), 779, 855
of cervix of uterus, relation of glycogen and, (Oki), 281 (abst.)
radium treatment of, results of, (Pitts and Waterman), 607
uteri, treatment of, (Zweifel), 595, 715
of fundus of uterus, (Stacy), 290 (abst.)
of interna of a luteum cyst, (Wallart), 290 (abst.)
of ovary, operative treatment of, (Schleyer), 288 (abst.)
of uterus among Jewish women, incidence of, (Horwitz), 280 (abst.)
operative treatment of, and its relation to radiation therapy, (Schmidt), 289 (abst.)
treatment of, by abdominal operation, (Kermauner), 288 (abst.)
of vagina in second year of life, (Lovegren), 285 (abst.)
uterine, therapy of, (Mikulicz-Radecki), 286 (abst.)
Catheterization, paralysis of bladder, with distention and hemorrhage following, (Bissell), 811
Cephalhematoma, etiology of, (Naujoks), 888 (abst.)
Cervical cancer, basic cause and nature of, (Bailey), 284 (abst.)
early, recognition of, (Novak), 282 (abst.)

Cervical cancer—Cont'd
cesarean section, Kerr, advantages of, (Averett), 273
low, analysis of, (Danforth and Grier), 405, 425
ligaments, reconstruction of, following complete hysterectomy, (Kennedy), 51, 115
stump, cancer of, after subtotal hysterectomy, (Jeanneney), 285 (abst.)
Cervix, cancer of, in pregnant uterus, (Condamin), 284 (abst.)
carcinoma of, radium treatment of, (Pitts and Waterman), 607
of uterus, carcinoma of, relation of glycogen and, (Oki), 281 (abst.)
tuberculosis of the, (Harris), 249, 275
uteri, carcinoma of, treatment of, (Zweifel), 595, 715
chronic inflammation of, results obtained with electrocagulation in, (Moench and Schulman), 354 (abst.)
prophylaxis of cancer, with special reference to the, (Miller), 284 (abst.)
Cesarean section, 438 (selected abstracts)
abdominal, placenta previa patients delivered by, (Kellogg), 643
and subsequent labor, (Grogan), 101
cervical, rupture of uterine scar following, (Süssmann), 440 (abst.)
corporeal and cervical, (Piper and Bachman), 440 (abst.)
decline of, (Gauss), 439 (abst.)
delivery through natural passages following, (McLane), 650
German statistics for 1928, (Winter), 438 (abst.)
glycerin in, (Salmond), 416 (abst.)
in Russia, (Ponomareff), 439 (abst.)
Kerr cervical, advantages of, (Averett), 273
low cervical, analysis of, (Danforth and Grier), 405, 425
Channing, Walter, and etherization in childbirth, (Thoms), 244
Chemistry of blood and urine in toxemias of pregnancy, (Green), 142 (abst.)
Chicago Gynecological Society, 129, 425, 865, 867
Childbirth, etherization in, Walter Channing and, (Thoms), 244
Chloroform used to combat intrauterine asphyxia, (Waller), 884 (abst.)
Chorioepithelioma, (Novak and Koff), 153
ovarian and pituitary changes associated with, (Novak and Koff), 481, 713
Chorionepithelioma, malignant, Aschheim-Zondek reaction in, (Mack and Catherwood), 670
Cleiodotomy on living fetus, (Jankelewitsch), 759 (abst.)
Congenital and acquired deafmutism, (Henning), 825 (abst.)
Contracted pelves and disproportion, (McGoogan), 386, 431
Corporeal and cervical cesarean section, (Piper and Bachman), 440 (abst.)
Corpus luteum cyst, ruptured, with intraabdominal hemorrhage, (Acken), 860
luteum, ectopic, associated with ruptured tubal pregnancy, (Lash), 129
hemorrhage from, in an apparently normal ovary, (Corlette), 744 (abst.)
Correspondence, 276, 748
Cranial damage in newborn, (Munro), 886 (abst.)
Cyst, corpus luteum, ruptured, with intraabdominal hemorrhage (Acken), 860
Cystitis emphysematosa, (Mills), 688
Cystocele, interposition operation for cure of, what happened in case after, (Tracy), 118
Cysts, luteum, associated with hydatid mole, (Fruhinsholz), 319 (abst.)

D

Deafmutism, congenital and acquired, (Henning), 825 (abst.)
Delivery, attendant at, (Dublin and Corbin), 877
care, 134
of fetal monstrosity, (Lull), 421
of occiput posterior position cases, method of, (Vaux), 782, 837
through natural passages following cesarean section, (McLane), 650
Diaphragm, congenital defects of, with relation to asphyxia neonatorum, (Harper and Andersen), 324
Diet, acid and alkali, on self-cleansing of vagina, influence of, (Bauer), 319 (abst.)
Diverticulitis, acute sigmoid, (Behney), 121
Duodenal alimentation in uncontrollable vomiting of pregnancy, (Van De Putte), 148 (abst.)
Duodenum, neonatal membranous obstruction of (Cornell), 865
Dysfunctional uterine bleeding, etiology of, (Graves), 500
Dysmenorrhea, (Joachimovits), 381 (abst.)
of endocrine origin responding to medical therapeutic measures, (Wendel), 633

E

Eclampsia, (D'Acierno), 798
and albuminuria of pregnancy, (Sym), 87 (abst.)
and eclampsismus, results of, in Karolinian Institute of Stockholm, (Clason), 151 (abst.)
and its treatment, (Klein), 150 (abst.)
blood pressure and, (Schwarz), 149 (abst.)
calcium during pregnancy, with reference to, (Wodon), 144 (abst.)
case of, (Rushmore), 145 (abst.)
chronic nephritis following, (Peckham), 152 (abst.)
focal infection in, (Johnston, Johnson, and Nicholas), 146 (abst.)
hydrogen-ion concentration of blood in, (Stander and Eastman), 822
in early pregnancy, (Fueth), 151 (abst.)
143 cases observed at Algerian Maternity, (Laffont and Jahier), 152 (abst.)
phytopharmacological study of, (Losee and Macht), 146 (abst.)
prevention of, with thyroid extract, Bárczi), 150 (abst.)
therapy of, (Waldstein), 151 (abst.)
treatment of, by somnifène, (Laffont and Larribère), 151 (abst.)
Eclamptic patient, fate of, (Neverman), 27 (abst.)
serum, absence of pressor substances in, (Potter), 145 (abst.)
Ectopic corpus luteum associated with ruptured tubal pregnancy, (Lash), 129
pregnancy, 741 (selected abstracts); (Parker), 746 (abst.)
a clinical study of, (Urdan), 355
after supravaginal amputation of the uterus, (Liepmann), 746 (abst.)
Edema, fetal, generalized, (Gill and Auld), 834
Edemas of pregnancy, treatment of, with thyroid extract, (Bárczi), 150 (abst.)
Editorial comments, 278, 441
Electrocoagulation in chronic inflammation of cervix uteri, results obtained with, (Moench and Schulman), 354 (abst.)
Embolus, postoperative obstetric, (Polak and Mazzola), 529
Endocrinology, progress in, of interest to gynecologist and obstetrician, (Frank), 215, 265
Endometrial trauma and dislocation associating uterotubal insufflation, (Rubin), 519
Endometrioma of umbilicus, (Enzer), 129
Endometriosis, postsalpingectomy, (Sampson), 443, 722
Endometrium, papilloma of, (Dafoe), 103
Endosalpingiosis, (Sampson), 443, 722
Estrus-producing ovarian hormone, menstrual periods induced in ovariectomized monkeys by, (Allen and Baker), 85
Ether analgesia apparatus, a new rectal, (McCormick), 411
Etherization in childbirth, Walter Channing and, (Thoms), 244
Extrauterine pregnancy at full term (Boyd), 268
diagnosis, pathology and frequency of, (Beckers), 741 (abst.)
full-term, with living child, (Frolov), 747 (abst.)
in gynecologic clinic State Hospital in Rostow, (Garfunkel), 741 (abst.)
increase in incidence of, and its relationship to its etiology, (Tschertok), 747 (abst.)
symptomatology and diagnosis of, (Möller), 741 (abst.)

F

Facial paralysis in newborn, (Hamant), 781 (abst.)
Fallopian tube and ovary, torsion of, during pregnancy, (Green), 182 (abst.)
human morphology of, (Iwata), 742 (abst.)
Fat, subcutaneous, in newborn, necrosis of, (Sysak and Wilfand), 889 (abst.)
Female sex hormone, Frank test for, (Spencer), 220
ureteral calculus in, (Bissell), 828
Fetal cardiac arrhythmia, (Rihl and Weinzierl), 883 (abst.)
heart, irregularities of, (Hyman), 332
sounds, phonocardiographic study of, (Hyman), 332
stethoscope for auscultating, (Leff), 108
malformations in multiple pregnancy, (Adair), 539
maturity in utero, determination of, (Thoms), 807
monstrosity, with interesting problem in delivery, (Lull), 421
Fetus, cleiodotomy on living, (Jankelewitsch), 759 (abst.)
edema of, generalized, (Gill and Auld), 834
viable, hydatidiform mole with, (Littauer), 126
Fever, puerperal, spirochetes in, (Lash), 348
Fibrinoplastic or adhesive variety of tuberculous peritonitis, surgical pathology of, (Kennedy), 236
Fibromyoma, broad ligament, primary, with sarcomatous degeneration, (Rosenberg), 124

Fibromyoma—Cont'd
of uterus weighing 133 pounds removed at operation, (Behrend), 699
uteri, treatment and end-results, (Keene and Kimbrough), 198, 265
Fistula, vesicoabdominal, as complication of labor, (Acosta-Sison), 239
vesicovaginal, repair of intractable, (Holladay), 262
Focal infection in eclampsia, (Johnston, Johnson, and Nicholas), 146 (abst.)
Frank test for the female sex hormone, (Spencer), 220
Fundus, cancer of, biopsy in, (Léo), 283 (abst.); (Victor-Pauchet), 283 (abst.)
of uterus, adenocarcinoma of, (Meigs), 290 (abst.)
carcinoma of, (Stacy), 290 (abst.)

G

Gangrene of forearm in newborn, (Fischer), 833 (abst.)
Gastric juice in pregnancy, (Arzt), 382
Generative tract of female white mice, changes in, caused by injection of aqueous placental female sex hormone, (Fogelson), 869
Genital bleeding in young girls, (Kermauner), 642 (abst.)
cancer in the female, relationship of imperfect drainage to, (Graves), 284 (abst.)
Glucose and insulin in treatment of vomiting of pregnancy, (King), 147 (abst.)
Glycerin in cesarean section, (Salmond), 416 (abst.)
Glycogen and carcinoma of cervix of uterus, relation of, (Oki), 281 (abst.)
content of uterine cancer, (Lahm), 282 (abst.)
Graaffian follicles, uniting of two, (Gausman), 214 (abst.)
Granulosal-cell tumors of ovary and their relation to postmenopausal bleeding, (Te Linde), 552, 728
Grippe and menstrual disturbances, association of, (Weinberger), 173 (abst.)
Gynecologic operations, local anesthesia in, (Falls), 310, 427
patients, anterior pituitary hormone in blood of, (Fluhmann), 1
urologic investigations in, importance of, (Kahn and Walker), 683
Gynecologist, progress of endocrinology of interest to, (Frank), 215, 265
Gynecology, phototherapy in, (Bernareggi), 251 (abst.)
psychotherapy in, (Dittel), 606 (abst.)

H

Heart, fetal, irregularities of, (Hyman), 332
sounds, fetal, phonocardiographic study of, (Hyman), 332
Hemangioma of pelvic connective tissue, (Frank), 81
Hematocolpos, hematometra, and hematosalpinx, case of, (Kanter and Klawans), 95
Hemorrhage, abdominal, of ovarian origin, (Roth), 743 (abst.)
dangerous, from corpus luteum in an apparently normal ovary, (Corlette), 744 (abst.)
intracranial, as demonstrated by roentgen rays, (Roberts), 883 (abst.)
autopsy results in, (Yagi), 882 (abst.)
diagnosis of, by roentgen rays, (Yagi), 883 (abst.)
of suprarenals in newborn infants, (Goldzieher and Greenwald), 888 (abst.)
ovarian, simulating acute appendicitis, 743 (abst.)
spontaneous, with acute abdominal symptoms, (Simon), 744 (abst.)
Hemorrhages in newborn, retinal, (Eades), 887 (abst.)
intracranial, at birth, prognosis of children who survive, (Rydberg), 885 (abst.)
intrathoracic and intraabdominal in newborn, (Lundquist), 887 (abst.)
Hepatic cirrhosis, splenomegaly with, as complication of pregnancy, (Hesseltine), 77
Hormone, anterior pituitary, in blood of gynecologic patients, (Fluhmann), 1
aqueous placental female sex, changes in generative tract of female white mice caused by injection of, (Fogelson), 869
estrus-producing ovarian, menstrual periods induced in ovariectomized monkeys by, (Allen and Baker), 85
female sex, Frank test for, (Spencer), 220
Hydatid mole, luteum cysts associated with, operative indications in, (Fruhinsholz), 319 (abst.)
Hydatidiform mole, Aschheim-Zondek reaction in, (Mack and Catherwood), 670
ovarian and pituitary changes associated with, (Novak and Koff), 481, 713
with viable fetus, (Littauer), 126
Hydrogen-ion concentration of blood in eclampsia, (Stander and Eastman), 822

Hyperemesis gravidarum, (D'Acierno), 801
insulin in, (Pery), 147 (abst.)
Hypernephroma metastases in vagina, (Gragert), 657 (abst.)
Hyperplasia and hypertrophy of uterine mucosa, (Beckmann), 698 (abst.)
Hypertension, physiologic, of pregnancy, (Strassmann), 149 (abst.)
Hyperthyroidism associated with pregnancy, (Hinton), 183
Hysterectomy, complete, reconstruction of cervical ligaments following, (Kennedy), 51, 115
placenta accreta with, (Williamson), 110
subtotal, cancer of cervical stump after, (Jeanneney), 285 (abst.)
supravaginal, cancer in uterine cervical stump after, (Branscomb), 66
vaginal, under local anesthesia, (Gellhorn), 842

I

Identifying newborn infants, method of, at Boston Lying-In Hospital, (Irving), 105
Infant, weight of, relation of weight of placenta, cord and members to the, (Aberle, et al), 397
Infection, puerperal, due to anaerobic streptococci, (Brown), 300
Inferior vena cava, occlusion of, association of polycythemia with, (Tumen), 417, 429
Insufflation, uterotubal, endometrial trauma, and dislocation associating, (Rubin), 519
Insulin in hyperemesis gravidarum, (Pery), 147 (abst.)
in treatment of vomiting of pregnancy, (Sachs), 147 (abst.)
treatment of toxemias of pregnancy, (Vogt), 147 (abst.)
Interposition operation for cure of cystocele, what happened in case after, (Tracy), 118
Intestine, rupture of, spontaneous, in newborn, (Russell), 888 (abst.)
Intracranial birth injuries, fate of children born with, (Naujoks), 885 (abst.)
damage in newborn, (Munro), 886 (abst.)
hemorrhage as demonstrated by roentgen rays, (Roberts), 883
at birth, prognosis of children who survive, (Rydberg), 885 (abst.)
autopsy results in, (Yagi), 882 (abst.)
diagnosis of, by roentgen rays, (Yagi), 883 (abst.)
injury due to labor, (Paddock), 882 (abst.)
Intrauterine asphyxia, chloroform used to combat, (Waller), 884 (abst.)
death, early symptom of impending, (Holtermann), 884 (abst.)
Inversion of uterus, acute, (Quin), 666 (abst.)
Item, 740

K

Kerr cervical cesarean section, advantages of, (Averett), 273
Kidney reserve, low, (D'Acierno), 800
tuberculous, with pyelitis, stricture and pyonephosis of the opposite kidney, (Kloman), 872
Kraurosis vulvae, leucoplakia and, (Terruhn), 413 (abst.)
Kymograph, uterotubal insufflation and the, (Rubin), 28, 127

L

Labor, cesarean section and subsequent, (Grogan), 101
intracranial injury due to, (Paddock), 882 (abst.)
pituitary in induction of, tourniquet for control of absorption of, (Hanson), 256
quinine induction of, is it absolutely harmless? (McSwiney), 208 (abst.)
third stage, new procedure for assisting, (Brandt), 276
vesicoabdominal fistula as complication of, (Acosta-Sison), 239
Leucoplakia and kraurosis vulvae, (Terruhn), 413 (abst.)
Leucoplakic vulvitis, (Cochran), 862
Levulose tolerance test for hepatic efficiency in diagnosis of pregnancy toxemia, (King), 142 (abst.)
Ligament, broad, primary fibromyoma of, with sarcomatous degeneration, (Rosenberg), 124
Lipiodol, comparative value of, (Rubin), 28, 127
injection into milk-ducts, followed by abscess formation, (Ries), 414
Liver function in pregnancy, (Eufinger and Bader), 143 (abst.)
Luteum cyst, carcinoma of the theca interna of a, (Wallart), 290 (abst.)
cysts associated with hydatid mole, operative indications in, (Fruhinsholz), 319 (abst.)

M

Malignancy, cachexia of, and its control, (Pal), 289 (abst.)
Malignant tumors, operation for, prophylaxis against recurrence following, (Mandl), 289 (abst.)
Mammary cancer, (Lee), 775, 855

Maternal deaths, (Dublin and Corbin), 878
mortality in Jewish Hospital of Brooklyn, (Ronsheim and Daichman), 816, 864
welfare, department of, 133, 877
Maternity care, standards of, 133
Center Association of New York, study of records of the, (Dublin and Corbin), 877
Maturity, fetal, in utero, determination of, (Thoms), 807
Menses, first, of Korean girl students, (Lee), 173 (abst.)
Menstrual disturbances, association of grippe and, (Weinberger), 173 (abst.)
periods induced in ovariectomized monkeys by estrus-producing ovarian hormone, (Allen and Baker), 85
rhythm and character, variability of, (Geist), 320
Milk-ducts, lipiodol injection into, followed by abscess formation, (Ries), 414
Monstrosity, fetal, with interesting problem in delivery, (Lull), 421
Mortality, maternal, in Jewish Hospital of Brooklyn, (Ronsheim and Daichman), 816, 864
Mucous polyps and uterine cancer, (Blind), 284 (abst.)
Music in the operating room, (McGlinn), 678, 727

N

Necrosis of subcutaneous fat in newborn, (Sysak and Wilfand), 889 (abst.)
traumatic, of subcutaneous fat of newborn, (DeVel), 781 (abst.)
Neonatal membranous obstruction of duodenum, (Cornell), 865
Nephritis, chronic, complicating pregnancy, (D'Acierno), 800
following eclampsia, (Peckham), 152 (abst.)
Newborn, birth injuries in the, (Yagi), 882, 883 (absts.)
bronchial obstruction in, fatal, (Langan), 255
carbon dioxide content of blood in, (Kane and Kreiselman), 826
cranial and intracranial damage in, (Munro), 886 (abst.)
facial paralysis in, (Hamant), 781 (abst.)
gangrene of forearm in, (Fischer), 833 (abst.)
hemorrhage of suprarenals in, (Goldzieher and Greenwald), 888 (abst.)
infants, tentorial tears of, forensic significance of, (Alexander-Katz), 885 (abst.)
Newborn—Cont'd
identifying, method of, at Boston Lying-In Hospital, (Irving), 105
intracranial hemorrhage of, as demonstrated by roentgen rays, (Roberts), 883 (abst.)
diagnosed by roentgen rays, (Yagi), 883 (abst.)
intrathoracic and intraabdominal hemorrhages in, (Lundquist), 887 (abst.)
necrosis of subcutaneous fat in, (Sysak and Wilfand), 889 (abst.)
radiographic examinations of, value of routine, (Davis and Stevens), 73, 130
resuscitation of the, (Katz), 886 (abst.)
retinal hemorrhage in the, (Eades), 887 (abst.)
rupture of intestine in, spontaneous, (Russell), 888 (abst.)
transmission of "pernocton" to, (Kobes), 887 (abst.)
traumatic necrosis of subcutaneous fat of, (DeVel), 781 (abst.)
New York Obstetrical Society, 110, 262, 855
Nipples, accessory, accessory breasts and, (Neuman and Oing), 347 (abst.)

O

Obstetric embolus, postoperative, (Polak and Mazzola), 529
diagnosis, roentgen ray as adjunct in, (Matthews), 612, 724
Obstetrician, problems for, in field of mammary cancer, (Lee), 775, 855
progress in endocrinology of interest to the, (Frank), 215, 265
Obstetrics, avertin anesthesia in, (Reed), 865
private practice of, syphilis and Wassermann reaction in, (Moore), 875
teaching of, (McCord), 748 (correspondence)
the "radical" in, (Duncan), 225
Occipitofrontal diameter of fetal head in utero, roentgenographic method of determining maturity of fetus by, (Thoms), 807
Occiput posterior position, method of delivery and end-results of, (Vaux), 782, 837
Operating room, music in, (McGlinn), 678, 727
Operations, gynecologic, local anesthesia in, (Falls), 310, 427
Ovarian and pituitary changes associated with hydatidiform mole and chorioepithelioma, (Novak and Koff), 481, 713

Ovarian—Cont'd
hemorrhage simulating acute appendicitis, (Wilson), 743 (abst.)
spontaneous, with acute abdominal symptoms, (Simon), 744 (abst.)
transplantation, (Norris and Behney), 354 (abst.)
tumor recurring after 16 years, (Terrades), 235 (abst.)
tumors, rupture of, (Herrman), 323 (abst.)
Ovariectomized monkeys, menstrual periods induced in, by estrus-producing ovarian hormone, (Allen and Baker), 85
Ovary, carcinoma of, operative treatment of, (Schleyer), 288 (abst.)
granulosal-cell tumors of, and their relation to postmenopausal bleeding, (TeLinde), 552, 728
hemorrhage from corpus luteum in an apparently normal, (Corlette), 744 (abst.)
hilus of, sympathicotrophic cells of, histologic studies concerning, (Neuman), 416 (abst.)

P

Papilloma of endometrium, (Dafoe), 103
Paralysis, facial, in newborn, (Hamant), 781 (abst.)
of bladder, (Bissell), 811
Parotitis, postoperative, (Madden), 860
Pathology of overterm pregnancy, (Holtermann), 884 (abst.)
Pelves, contracted, and disproportion, (McGoogan), 386, 431
Pelvic connective tissue, hemangioma of, (Frank), 81
Perforation of ureter by calculus, (Bissell), 828
of uterus by crochet needle, (Stein), 867
Peritonitis, tuberculous, fibrinoplastic or adhesive variety of, surgical pathology of, (Kennedy), 236
Pernocton, transmission of, to newborn, (Kobes), 887 (abst.)
Pessary, vaginal occlusive, director for, (Mayer), 258
Philadelphia Obstetrical Society, 118, 268, 429
Phonocardiographic study of fetal heart sounds, (Hyman), 332
Phototherapy in gynecology, (Bernareggi), 251 (abst.)
Phytopharmacological study of eclampsia, (Losee and Macht), 146 (abst.)
Pituitary in induction of labor, tourniquet for control of absorption of, (Hanson), 256
in pregnancy, (Novak and Koff), 495, 713
Placenta, ablatio, (Holmes), 868
accreta with hysterectomy, (Williamson), 110
Placenta—Cont'd
adherent, (Gill), 424
cord and membranes, relation of weight of, to weight of infant, (Aberle, et al.), 397
increta, (Kwartin and Adler), 703
previa patients delivered by abdominal cesarean section, (Kellogg), 643
Polycythemia, association of, with occlusion of inferior vena cava, (Tumen), 417, 429
Postclimacteric bleeding, causes and treatment of, (Schiffman), 281 (abst.)
Postmenopausal bleeding, granulosal-cell tumors of ovary and their relation to, (Te Linde), 552, 728
Postoperative obstetric embolus, (Polak and Mazzola), 529
Postsalpingectomy endometriosis, (Sampson), 443, 722
Preeclampsia, (D'Acierno), 800
Pregnancy, abdominal, diagnosis confirmed by uterogram, (Osborn), 98
full-time, prolonged suppuration; recovery, (Keevill), 746 (abst.)
two months past term, (Arnold), 119
albuminuria of, (Sym), 87 (abst.)
alkaline reserve of blood in, (Vozza), 143 (abst.)
and puerperium, vital capacity during, (Alward), 373
anemia in, (First and Goldstein), 70, 123; (Moore), 254
Aschheim-Zondek test, biologic diagnosis of early by, (Liese and Auer), 667
associated with cancer of breast, (Lee), 777, 855
Banti's syndrome as complication of, (Hesseltine), 77
biochemical factors in, (Trumper), 209, 272
biologic diagnosis of early, by Aschheim-Zondek test, (Liese and Auer), 667
blood-platelets in, (Bland, First, and Goldstein), 165
calcium during, with reference to eclampsia, (Wodon), 144 (abst.)
chronic nephritis complicating, (D'Acierno), 800
complications of, (Dublin and Corbin), 878
concomitant with asthma or hay fever, (Williamson), 192
early, eclampsia in, (Fueth), 151 (abst.)
eclampsia and albuminuria of, (Sym), 87 (abst.)
ectopic, 741 (selected abstracts); (Parker), 746 (abst.)
a clinical study of, (Urdan), 355
after supravaginal amputation of uterus, (Liepmann), 746 (abst.)

Pregnancy—Cont'd
edemas of, treatment of, with thyroid extract, (Bárczi), 150 (abst.)
extrauterine, at full term, (Boyd), 268
diagnosis, pathology, and frequency of, (Beckers), 741 (abst.)
full-term, with living child, (Frolov), 747 (abst.)
in Gynecologic Clinic, State Hospital in Rostow, (Garfunkel), 741 (abst.)
increase in incidence of, and its relationship to its etiology, 747 (abst.)
symptomatology and diagnosis of, (Möller), 741 (abst.)
gastric juice in, (Arzt), 382
hyperthyroidism associated with, (Hinton), 183
liver function in, (Eufinger and Bader), 143 (abst.)
multiple, fetal malformations in, (Adair), 539
overterm, pathology of, (Holtermann), 884 (abst.)
pathology of overterm, (Holtermann), 884 (abst.)
perforation of ureter by calculus complicating, (Bissell), 828
physiologic hypertension of, (Strassmann), 149 (abst.)
pituitary in, (Novak and Koff), 495, 713
protein requirements in, (Trumper), 209, 272
repeated, in same tube, (Hasselblatt), 745 (abst.)
spasmophilia in, (Schpoljansky), 144 (abst.)
splenomegaly with hepatic cirrhosis as complication of, (Hesseltine), 77
storage of dyes in, (Eufinger and Bader), 143 (abst.)
test, the Aschheim-Zondek, protection against possible abuse of, 278 (editorial comments)
torsion of fallopian tube and ovary during, (Green), 182 (abst.)
toxemias of, 142 (selected abstracts); (Falls), 148 (abst.); (D'Aciérno), 797; (Polak), 146 (abst.)
chemistry of blood and urine in, (Green), 142 (abst.)
insulin treatment of, (Vogt), 147 (abst.)
late, (Mitchell), 148 (abst.)
levulose tolerance test for hepatic efficiency in the diagnosis of, (King), 142 (abst.)
tyramine as etiologic factor of, (Johnston, Johnson, and Nicholas), 146 (abst.)

Pregnancy—Cont'd
tubal, amidopyridine test for detection of internal hemorrhage in diagnosis of, ruptured, (Klein), 742 (abst.)
bilateral, (Schockaert), 745 (abst.)
ruptured, ectopic corpus luteum associated with, (Lash), 129
treatment of, with retention of tube, (Sellheim), 744 (abst.)
twin, (Jordan and Meade), 745 (abst.)
uterine and tubal, decidual reaction in, (Moritz and Douglass), 743 (abst.)
twin tubal, (Jordan and Meade), 745 (abst.)
vegetative nervous system during, (Hoffmann), 144 (abst.)
viscero-sensory liver bile reflexes in, (Eufinger), 143 (abst.)
vital capacity during last month, (Alward), 373
vomiting of, (Levy-Solal, Dalsace, and Cohen-Solal), 148 (abst.)
glucose and insulin in treatment of, (King), 147 (abst.)
insulin in treatment of, (Sachs), 147 (abst.)
pernicious, radical cure of, (Leven), 148 (abst.)
uncontrollable, duodenal alimentation in the, (Van De Putte), 148 (abst.)
Pregnant uterus, axial rotation of, (Feiner and Kaldor), 88
women, non-protein nitrogen, uric acid, and amino acids in blood of, (Wetterdal), 145 (abst.)
Prenatal care, 134
Presidental address, American Gynecological Society, (Norris), 293
Prolapse of uterus, etiology of, (Rickman), 164 (abst.)
Protein requirements of pregnancy, (Trumper), 209, 272
Psychotherapy in gynecology, (Dittel), 606 (abst.)
Puerperal fever, spirochetes in, (Lash), 348
infection due to anaerobic streptococci, (Brown), 300
sepsis, streptococcal treatment of, at Toronto General Hospital, (Dafoe), 174
Puerperium, blood-platelets in, (Bland, First, and Goldstein), 165
purpura hemorrhagica complicating, (Boley), 252
vital capacity during, (Alward), 373
Purpura hemorrhagica complicating puerperium, (Boley), 252

Q

Quinine induction of labor, is it absolutely harmless? (McSwiney), 208 (abst.)

R

Radiographic examinations of the newborn, value of routine, (Davis and Stevens), 73, 130
Radium treatment of carcinoma of cervix, results of, (Pitts and Waterman), 607
Rectal ether analgesia apparatus, a new, (McCormich), 411
Resuscitation of newborn, (Katz), 886 (abst.)
Retinal hemorrhages in newborn, (Eades), 887 (abst.)
Roentgen ray as adjunct in obstetric diagnosis, (Matthews), 612, 724
diagnosis of intracranial hemorrhage by, (Yagi), 833 (abst.)
Roentgenography of occipitofrontal diameter of fetal head in utero, determining maturity of fetus by, (Thoms), 807
Rupture of intestine, spontaneous, in newborn, (Russell), 888 (abst.)
Ruptured tubal pregnancy, ectopic corpus luteum associated with, (Lash), 129

S

Salpingitis, treament of, by local injection of turpentine, (Little), 582, 727
Selected abstracts: carcinoma, 280
cesarean section, 438
ectopic pregnancy, 741
miscellaneous, 27, 87, 164, 173, 182, 208, 214, 235, 251, 319, 323, 331, 347, 354, 381, 413, 416, 606, 642, 657, 666, 698, 759, 781, 825, 833
newborn, 882
toxemias of pregnancy, 142
Serum, eclamptic, absence of pressor substances in, (Potter), 145 (abst.)
Shaws groups benign uterine bleeding, (Meigs), 15
Sigmoid diverticulitis, acute, (Behney), 121
Society transactions: The American Gynecological Society, 713, 837
Baltimore Gynecological and Obstetrical Society, 872
Brooklyn Gynecological Society, 124, 275, 860
Chicago Gynecological Society, 129, 425, 865, 867
New York Obstetrical Society, 110, 262, 855
Philadelphia Obstetrical Society, 118, 268, 429
Somnifène, treatment of eclampsia by, (Laffont and Larribère), 151 (abst.)
Spasmophilia in pregnancy, (Schpoljansky), 144 (abst.)
Spinal fluid, hemorrhagic, diagnostic value of, (Schlack), 883 (abst.)
Spirochetes in puerperal fever, (Lash), 348
Splenomegaly with hepatic cirrhosis as complication of pregnancy, (Hesseltine), 77
Sterility, causative factors in, (Meaker), 749
Stethoscope for auscultating fetal heart, (Leff), 108
Streptococcal puerperal sepsis, treatment of, at Toronto General Hospital, (Dafoe), 174
Suprarenals, hemorrhage of, in newborn, (Goldzieher and Greenwald), 888 (abst.)
Supravaginal hysterectomy, cancer in uterine cervical stump after, (Branscomb), 66
Sympathicotrophic cells of hilus of ovary, histologic studies concerning, (Neuman), 416 (abst.)
Syphilis and Wassermann Reaction in private practice of obstetrics, (Moore), 875

T

Tenth anniversary of journal, 441 (editorial comments)
Tentorial tears of newborn infants, forensic significance of, (Alexander-Katz), 885 (abst.)
Thymophysin, action of, on human pregnant uterus in situ, (Rucker), 791
use of, (Schoeneck and Schoeneck), 658 (abst.)
Thyroid extract, treatment of edemas of pregnancy and prevention of eclampsia with, (Bárczi), 150 (abst.)
Tourniquet for control of absorption of pituitary in induction of labor, (Hanson), 256
Toxemia of pregnancy, 142 (abst.); (D'Acierno), 797; (Falls), 148 (abst.); (Polak), 146 (abst.)
chemistry of blood and urine in, (Green), 142 (abst.)
insulin treatment of, (Vogt), 147 (abst.)
late, (Mitchell), 148 (abst.)
tyramine as etiologic factor of, (Johnston, Johnson, and Nicholas), 146 (abst.)
Trauma, endometrial, and dislocation associating uterotubal insufflation, (Rubin), 519
Trichomonas vaginalis, (Furniss), 93, 113
Tubal pregnancy, bilateral, (Schockaert), 745 (abst.)
ruptured, amidophyridine test for detection of internal hemorrhage in diagnosis of, (Klein), 742 (abst.)
ectopic corpus luteum associated with, (Lash), 129
treatment of, with retention of tube, (Sellheim), 744 (abst.)

Tubal pregnancy—Cont'd
twin, (Jordan and Meade), 745 (abst.)
uterine and tubal decidual reaction in, (Moritz and Douglass), 743 (abst.)
strictures and their localization, (Rubin), 28, 127
Tube, fallopian, morphology of the human, (Iwata), 642 (abst.)
repeated pregnancy in the same, (Hasselblatt), 745 (abst.)
Tuberculosis of the cervix, (Harris), 249, 275
Tuberculous kidney with pyelitis, stricture and pyonephrosis of the opposite kidney, (Kloman), 872
peritonitis, fibrinoplastic or adhesive variety of, surgical pathology of, (Kennedy), 236
Tumor, ovarian, recurring after 16 years, (Terrades), 235 (abst.)
Tumors, granulosal-cell, of ovary, and their relation to postmenopausal bleeding, 552 (TeLinde), 728
malignant, operations for, prophylaxis against recurrence following, (Mandl), 289 (abst.)
ovarian, rupture of, (Herrman), 323
Turpentine, treatment of salpingitis by local injection of, (Little), 582, 727
Tyramine as etiological factor in toxemia of pregnancy, (Johnston, Johnson and Nicholas), 146 (abst.)

U

Umbilicus, endometrioma, (Enzer), 129
Ureter, perforation of, by calculus, (Bissell), 828
Ureteral calculus in female, (Bissell), 828
Ureteropyolithiasis, (Bissell), 831
Urine, chemistry of, in toxemias of pregnancy, (Green), 142 (abst.)
retention of, (Bissell), 812
Urologic investigations in gynecologic patients, importance of, (Kahn and Walker), 683
Uteri, cervix, carcinoma of, treatment of, (Sweifel), 595, 715
fibromyoma, treatment and end-results, (Keene and Kimbrough), 198, 265
Uterine and tubal decidual reaction in tubal pregnancy, (Moritz and Douglass), 743 (abst.)
bleeding, benign, (Meigs), 15
dysfunctional, etiology of, (Graves), 500
cancer, glycogen content of, (Lahm), 282 (abst.)
mucous polyps and, (Blind), 284 (abst.)
statistics of, (Kanki), 280 (abst.)
carcinoma, therapy of, (Mikulicz-Radecki), 286 (abst.)
Uterine—Cont'd
cervical stump, cancer in, after supravaginal hysterectomy, (Branscomb), 66
infection, experimental, effect of acriflavine on, (Meyer), 760
malignancy, operative methods in, (Peham), 288 (abst.)
mucosa, hyperplasia and hypertrophy of, (Beckmann), 688 (abst.)
scar, rupture of, following cervical cesarean section, (Süssmann), 440 (abst.)
Uterogram, diagnosis abdominal pregnancy confirmed by, (Osborn), 98
Uterotubal insufflation, (Rubin), 28, 127
endometrial trauma and dislocation associating, (Rubin), 519
Uterus, adenomyoma of, (Baltzer), 331 (abst.)
carcinoma of, among Jewish women, incidence of, (Horwitz), 280 (abst.)
operative treatment of, and its relation to radiation therapy, (Schmidt), 289 (abst.)
treatment of, by abdominal operation, (Kermauner), 288 (abst.)
double, double cervix, and double vagina, (McBride), 710
fibromyoma of, weighing 133 pounds removed at operation, (Behrend), 699
fundus of, adenocarcinoma of, (Meigs), 290 (abst.); (Stacy), 290 (abst.)
inversion of, acute, (Quin), 666 (abst.)
and prolapse of, complete, (Gill), 424
perforation of, by crochet needle, (Stein), 867
pregnant, axial rotation of, (Feiner and Kaldor), 88
cancer of cervix in, (Condamin), 284 (abst.)
in situ, action of thymophysin on, (Rucker), 791
prolapse of, etiology of, (Rickman), 164 (abst.)
supravaginal amputation of, ectopic pregnancy after, (Liepmann), 746 (abst.)

V

Vagina, absence of, (McBride), 710
artificial, creation of, out of sigmoid flexure, (Faehrmann), 214 (abst.)
atresia of, postpartum, (Kanter and Klawans), 95
carcinoma of, in second year of life, (Lovegren), 285 (abst.)
hypernephroma metastases in, (Gragert), 657 (abst.)

Vagina—Cont'd
postpartum atresia of, (Kanter and Klawans), 95
self-cleansing of, influence of acid diet and alkali diet on, (Bauer), 319 (abst.)
Vaginal occlusive pessary, director for the, (Mayer), 258
hysterectomy under local anesthesia, (Gellhorn), 842
Vaginalis, trichomonas, (Furniss), 93, 113
Vegetative nervous system during pregnancy, (Hoffmann), 144 (abst.)
Vesicoabdominal fistula as complication of labor, (Acosta-Sison), 239
Vesicovaginal fistula, intractable, repair of, (Holladay), 262
Viscero-sensory liver bile reflexes in pregnancy, (Eufinger), 143 (abst.)
Vital capacity during last month of pregnancy and the puerperium, (Alward), 373
Vomiting of pregnancy, (Levy-Solal, et al), 148 (abst.)
glucose and insulin of, (King), 147 (abst.)
insulin in treatment of, (Sachs), 147 (abst.)
pernicious, radical cure of, (Leven), 148 (abst.)
uncontrollable, duodenal alimentation in, (Van De Putte), 148 abst.)
Vulva, cancer of, (Cochran), 862
Vulvitis, leucoplakic,(Cochran), 862

W

Wertheim operation, twenty-five years experience with the, (Weibel), 287 (abst.)